



Illustrative picture

SPECIFICS

Description	Product type	ASC PANELS FOR BUILDING SITES
	Article code	2242
	Commercial Series	SERIES 2000

General Data	Poles	N° 3/4	Type of material	ABS		
	Current	A 16	Dimensional stability	°C -25 /+70		
	Voltage	V~ 200-346/240-415	Resistance glow wire test	°C +650 / +850		
	Power	kW 9	Working temperature	°C , -25 + 40		
	Degree of protection	IP 65	Weight	kg 4,85		
	Impact Resistance	IK 08	Portable	Yes		
	Insulation Resistance	MΩ >10	Emergency push button	No		
			Connection	Plug		
	Behaviour with chemical and atmospheric agents					
		Saline Solution	Acids Concentrated Diluted	Bases Concentrated Diluted	Solvents Hexane Benzol Acetone Alcohol	Mineral Oil
	Resistant	Limited Resistant Resistant	Resistant	Limited Resistant Limited Resistant Resistant	Resistant	Resistant

Standards	CEI EN 61439-1	CEI EN 61439-4	2014/35/UE
-----------	----------------	----------------	------------

Features package	Descriptions		N/pieces	Weight/kg
	Article	/	/	/
	Package innerbox	/	/	/
	Packaging	/	/	/

Description	Composition of the ACS Panel	
	2 Pr. 16A-6h 2P+E IP67 200-250V~	
	2 Pr. 16A-6h 3P+E IP67 380-415V~	
	1 Sp. 16A-6h 3P+N+E IP67 200-346/240-415V~	
	1 Automatic switch, differential 3P+N 40A 200-346 / 240-415 V~ 50/60 Hz I _{dn} 0,03A	



CERTIFICATO N° 9105.ROSS - UNI EN ISO 9001:2015



Reg. A.E.E n° IT17100000010057

DATA	RESPONSABILE TECNICO
15/06/2021	Romano Rosi